



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Professional Smart Terminal Manufacturer

专业智能终端制造商



可靠的质量 优惠的价格 优良的服务 互利的合作
Reliable quality Preferential price Excellent service Win-win cooperation

COMPANY PROFILE



Shenzhen Pay Device technology Co., Ltd is a private high-tech enterprise which integrates research, development, production and sales.

"There is no best, only better!" is our commitment. "Reliable quality, preferential price, excellent service, mutually beneficial cooperation" is our aim.

We have independent research and development centers in Shenzhen, Wuhan, Nantong. We have been committed to providing customers with professional smart terminals. With years of R&D experience and with the support of a highly skilled professional team, We have played an important role in the development of the smart terminal industry.

Our main products include smart terminals and smart terminal software. We can also provide ODM and OEM customized products according to customers' requirements. Pay Device has established long-term partnerships with many well-known companies at home and abroad. Furthermore, we have won high praise from customers for our high-quality products and excellent customer service.

深圳派德成科技有限公司是一家集研发、生产、销售为一体的民营高新技术企业。“没有最好，只有更好”是我们的承诺，“可靠的质量、优惠的价格、优良的服务、互利的合作”是我们的宗旨。

我们在深圳、武汉、南通设有独立的研发中心。我们一直致力于为客户提供专业的智能终端设备。凭借多年的研发经验和高技能的专业团队的支持，我们在智能终端行业的发展中发挥了重要作用。

我们的主要产品包括智能终端设备，智能终端软件。我们也可以根据客户的要求提供ODM、OEM定制化产品。公司与国内外多家知名企业建立了长期合作伙伴关系，并以优质的产品和优质的客户服务赢得了客户的一致好评。



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列


FH100-A3-D

10-inch Android Terminal



CPU 处理器	RK3568, Quad-core Cortex-A55 up to 2.0GHz	Storage 存储	2GB RAM, 8GB ROM
OS 系统	Android7.1/11 Kernel 4.4	Screen 屏幕	10"HD, 1280*800, IPS Touch
Interface 接口	DC-IN (5.5×2.5) *1 Cash box (RJ12)*1 Network (RJ45)*1 USB2.0*4 Serial port (RJ11)*1 Audio output*1 Type-C*1	Printer 打印机	Width: 58 +0/-0.5mm Speed:70mm/s Paper Roll: 58mm*Φ50mm
Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G	Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE
Ethernet 以太网	LAN10M/100M	Speaker 扬声器	Built-in Speaker2W
Power Adapter 电源	Input AC 100V~ 240V, 50~60Hz Output: DC 12V, 3A	Machine Size 尺寸	250mm*257mm * 87mm
Optional 可选			
Mobile Networks 移动网络	3G&4G	Scanner 扫码	Embedded barcode scannermodule, supporting1D / 2D
Customer Screen 客屏	5", 800*480, IPS	NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant
IC card Reader IC卡读取	Support ISO7816 T0, T1 protocol Support ISO7816 Class A, B and C (5V/3V/1.8V) card	Battery 电池	8.4V 4800mAh

Scan code/customer screen/printer, up to two out of three options



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH055H10P

5.5-inch Handheld Terminal

CPU 处理器	MTK6765, Octa-core, 2.3GHz	Storage 存储	3GB RAM, 32GB ROM
OS 系统	Android 14 GMS Certified	Screen 屏幕	5.5" HD+, 1440*720 IPS
Interface 接口	Type-C*1 OTG supported	Printer 打印机	Thermal Printer Print speed: 80mm/s Paper Roll: 58mm*Φ40mm
Camera 摄像头	Rear: 5.0 MP Auto Focus With Flash LED, Support 1D/2D	Speaker 扬声器	Built-in Speaker 1W
Scanner (optional) 扫码	Embedded barcode scanner module, supporting 1D / 2D	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	NFC 近场通讯	Type A&B card, Mifare card, FeLica card ISO/IEC 14443 and ISO 15693 compliant
Battery 电池	Removable Lithium Polymer battery 7.7V/3000mAh (equal to 3.85V/6000mAh)	Power Adapter 电源	Input: AC 100V~240V, 50~60Hz Output: DC 5V, 2A
Machine Size 尺寸	219mm*80mm*17.9mm		



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH070A1-S

7-inch Android Terminal



CPU 处理器	RK3568, Quad-core Cortex-A55 up to 2.0GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (Max Support 32G)
OS 系统	Android 11	Screen 屏幕	7"HD, 800*1280, IPS Touch
Interface 接口	DC-IN (5.5*2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*2 Serial port (DB9)*1 Audio output*1 Type-C*1 HDMI*1	Printer 打印机	Width: 58 +0/-0.5mm Speed:60mm/s Paper Roll: 58mm*Φ50mm
Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G	Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE
LAN 以太网	LAN 10M/100M	Speaker 扬声器	Built-in Speaker2W
Power Adapter 电源	Input: AC100V~240V, 50~60Hz Output: DC 12V, 3A	MachineSize 尺寸	180mm*200mm*100mm
Optional 可选			
Mobile Networks 移动网络	3G&4G	Camera 摄像头	2MP FF Camera Support photo, 1D/2D barcode scan
Magnetic Card Reader 磁卡读取	Support 1/2/3track, Bi- direction, complies with ISO7810/7811 standards	NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant
IC card Reader IC卡读取	Support smart IC card, complies with ISO7816 standard	Battery 电池	8.4V 4800mAh



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH070A8-S

7-inch Android Terminal

CPU 处理器	RK3288, Cortex-A17, quad-core 1.6GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (MaxSupport 32G)
OS 系统	Android 7.1/11	Screen 屏幕	7", 1024*600,IPS Touch
Interface 接口	DC-IN (5.5*2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Printer 打印机	Width 58 +0 / -0.5mm Speed:70mm/s Paper Roll: 58mm*Φ50mm
Keyboard 键盘	20 key USB keyboard	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Speaker 扬声器	Built-in Speaker5W	Power Adapter 电源	Input AC 100V~ 240V, 50~ 60Hz Output: DC 12V, 3A
Machine Size 尺寸	310mm*203mm*73mm	Optional 可选	
Mobile Networks 移动网络	3G&4G	Scanner 扫码	Embedded barcode scannermodule, supporting1D / 2D
PSAM	PSAM Card slot, complies with ISO7816 standard, 5V/3.0V/1.8	NFC 近场通讯	Type A&B card,Mifare card,FeLicacard ISO/IEC 14443 and ISO 15693 compliant




深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH101A6-S

10-inch Android Terminal



CPU 处理器	RK3566 Quad-core Cortex-A55 up to 2.0GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (Max Support 32G)
OS 系统	Android 11 Kernel 4.4	Screen 屏幕	10.1"HD, 1280*800, IPS Touch
Interface 接口	DC-IN (5.5×2.5)*1 Network (RJ45)*1 USB 2.0*2 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN10M/100M
Speaker 扬声器	Built-in Speaker2W×2	Light 指示灯	RGB LED
Power Adapter 电源	Input AC 100V~240V, 50~60Hz Output: DC 12V, 3A	Machine Size 尺寸	340mm*210mm*30mm
Optional 可选			
Mobile Networks 移动网络	3G&4G	Battery 电池	4.2V 4800mAh



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH116A5-D

11.6-inch Android Terminal

CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (MaxSupport 32G)
OS 系统	Android 7.1/11	Screen 屏幕	11.6"HD, 1366*768, IPS (1920*1080Optional), Touch
Interface 接口	DC-IN (5.5×2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Speaker 扬声器	Built-in Speaker5W	Power Adapter 电源	Input: AC100V~ 240V, 50~ 60Hz Output: DC 12V, 3A
Machine Size 尺寸	280mm* 290mm*300mm		
Optional 可选			
Mobile Networks 移动网络	3G&4G	Scanner 扫码	Embedded barcode scannermodule, supporting1D / 2D
Customer Screen 客屏	11.6"HD, 1366*768,IPS Touch	NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant
Binocular Camera 双目摄像头	2M HDR 650nm 720P/30fps 2M B/W 850nm 720P/15fps		



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH116A6-D

11.6-inch Android Terminal



CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM
OS 系统	Android 7.1/11	Screen 屏幕	11.6"HD, 1366*768,IPS Touch
Interface 接口	DC-IN (5.5×2.1)*1 Network (RJ45)*1 USB2.0*1	Keyboard 键盘	20 key USB keyboard
Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G	Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE
Ethernet 以太网	LAN 10M/100M	Speaker 扬声器	Built-in Speaker5W
Power Adapter 电源	Input: AC100V~ 240V, 50~60Hz Output: DC 12V, 3A	Machine Size 尺寸	380mm*225mm*38mm

Optional 可选

Mobile Networks 移动网络	3G&4G	Scanner 扫码	Embedded barcode scannemodule, supporting1D / 2D
Customer Screen 客屏	11.6"HD, 1366*768,IPS Touch	NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant
Binocular Camera 双目摄像头	2M HDR 650nm 720P/30fps 2M B/W 850nm 720P/15fps		



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH116A8-S

11.6-inch Android Terminal

CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (MaxSupport 32G)
OS 系统	Android 7.1/11 Kernel 4.4	Screen 屏幕	11.6"HD, 1920*1080, IPS Touch
Interface 接口	DC-IN (5.5×2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Speaker 扬声器	Built-in Speaker5W	Power Adapter 电源	Input: AC100V~ 240V, 50~60Hz Output: DC 12V, 3A
Machine Size 尺寸	299mm*196mm*107mm		
Optional 可选			
Mobile Networks 移动网络	3G&4G	NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant
Battery 电池	8.4V 9800mah		



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH156A11-D

15.6-inch Android Terminal



CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (MaxSupport 32G)
OS 系统	Android 7.1/11	Screen 屏幕	15.6"HD, 1920*1080, IPS Touch
Interface 接口	DC-IN (5.5*2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Speaker 扬声器	Built-in Speaker5W	Power Adapter 电源	Input: AC100V~ 240V, 50~60Hz Output: DC 12V, 3A
Machine Size 尺寸	390mm* 285mm*410mm		
Optional 可选			
NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant	LED Display LED显示	8 digit display
Customer Screen 客屏	15.6"HD, 1920*1080,IPS Touch	Binocular Camera 双目摄像头	2M HDR 650nm 720P/30fps 2M B/W 850nm 720P/15fps



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH156A13-D
15.6-inch Android Terminal

CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (Max Support 32G)
OS 系统	Android7.1/11 Kernel 4.4	Screen 屏幕	15.6"HD, 1920*1080, IPS Touch
Interface 接口	DC-IN (5.5×2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN10M/100M
Speaker 扬声器	Built-in Speaker5W	Power Adapter 电源	Input: AC100V~240V, 50~60Hz Output: DC 12V, 3A
Machine Size 尺寸	393mm*308mm*31mm		
Optional 可选			
Mobile Networks 移动网络	3G&4G	Scanner 扫码	Embedded barcode scannermodule, supporting1D / 2D
Customer Screen 客屏	15.6"HD, 1920*1080, IPS Touch	NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant
Binocular Camera 双目摄像头	2M HDR 650nm 720P/30fps 2M B/W 850nm 720P/15fps		




深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Terminal 智能终端系列

FH156A14-S

15.6-inch Android Terminal



CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (MaxSupport 32G)
OS 系统	Android 7.1/11	Screen 屏幕	15.6"HD, 1920*1080, IPS Touch
Interface 接口	DC-IN (5.5×2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Speaker 扬声器	Built-in Speaker5W	Power Adapter 电源	Input: AC100V~ 240V, 50~60Hz Output: DC 12V, 3A
Machine Size 尺寸	280mm * 290mm* 300mm		
Optional 可选			
Mobile Networks 移动网络	3G&4G	Scanner 扫码	Embedded barcode scannermodule, supporting1D / 2D
Customer Screen 客屏	15.6"HD, 1920*1080,IPS Touch	NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant
Binocular Camera 双目摄像头	2M HDR 650nm 720P/30fps 2M B/W 850nm 720P/15fps		



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Electronic Scale 智能电子秤系列 FH101A7-S 10.1-inch Android Electronic Scale

CPU 处理器	RK3566, Quad-core Cortex-A55 up to 2.0GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (Max Support 32G)
OS 系统	Android 11 Kernel 4.4	Screen 屏幕	10.1"HD, 1280*800,IPS Touch
Interface 接口	DC-IN (5.5×2.5)*1 Network (RJ45)*1 USB 2.0*2 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Speaker 扬声器	Built-in Speaker 2W×2	Light 指示灯	RGB LED
Scanner 扫码	Embedded barcode scanner module, supporting 1D / 2D	Range 量程	Maximum: 30kg Minimum: 50g
Divison Value 分度值	15g	Scale Pan 秤盘尺寸	580mm*430mm
Power Adapter 电源	Input: AC100V~240V, 50~60Hz Output: DC 12V, 3A	Machine Size 尺寸	580mm*430mm*725mm
Optional 可选			
Mobile Networks 移动网络	3G&4G		



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Smart Electronic Scale 智能电子秤系列 FH156A12-S

15.6-inch Android Electronic Scale



CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (Max Support 32G)
OS 系统	Android 7.1/11	Screen 屏幕	15.6"HD, 1920*1080,IPS Touch
Interface 接口	DC-IN (5.5*2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Printer 打印机	Width 58 +0 / -0.5mm Speed:70mm/s Paper Roll: 58mm*Φ50mm	Speaker 扬声器	Built-in Speaker5W
Battery 电池	12V10AH*2	Binocular Camera 双目摄像头	RGB Camera IR Camera
Camera 摄像头	USB Camera module	Range 量程	Maximum: 300kg Minimum:1kg
DivisonValue 分度值	50g	ScalePan 秤盘尺寸	450mm* 500mm
Mobile Networks 移动网络	3G&4G	Power Adapter 电源	Input: AC100V~ 240V, 50~ 60Hz Output: DC 14.4V, 3A
Machine Size 尺寸	650mm*460mm*1200mm		



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Self-service Machine

自助系列 FH215A1-S

21.5-inch Android Self-service Machine

CPU 处理器	RK3568 Quad-core Cortex-A55 up to 2.0GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (Max Support 32G)
OS 系统	Android 7.1/11	Screen 屏幕	21.5"HD, 1920*1080, IPS Touch
Interface 接口	DC-IN (5.5×2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Printer 打印机	Width: 80 +0/-0.5mm Speed:110mm/s Paper Roll: 80mm*Φ80mm	NFC 近场通讯	Type A&B card, Mifare card, FeLica cardISO/IEC 14443 and ISO 15693 compliant
Speaker 扬声器	Built-in Speaker5W	Scanner 扫码	Embedded barcode scannemodule, supporting1D / 2D
Mobile Networks 移动网络	3G&4G	Power Adapter 电源	Input: AC100V~240V, 50~60Hz Output: DC24V, 2.5A
Machine Size 尺寸	422*210*790mm		



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Self-service Machine 自助系列 FH320A1-S

32-inch Android Self-service Machine



CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (MaxSupport 32G)
OS 系统	Android7.1/11 Kernel 4.19	Screen 屏幕	32"HD, 1920*1080, IPS Touch
Interface 接口	DC-IN (5.5×2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output*1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN10M/100M
Printer 打印机	Width: 80 +0/-0.5mm Speed:170mm/s Paper Roll: 80mm*Φ80mm	Human Body Sensor 人体传感器	0.7-2m
Speaker 扬声器	Built-in Speaker5W×2	Power Adapter 电源	Input: AC100V~ 240V, 50~ 60Hz
MachineSize 尺寸	1075mm*300mm* 540mm		
Optional 可选			
Mobile Networks 移动网络	3G&4G	Scanner 扫码	Embedded barcode scannermodule, supporting1D / 2D
Binocular Camera 双目摄像头	2M HDR 650nm 720P/30fps 2M B/W 850nm 720P/15fps	NFC 近场通讯	Type A&B card,Mifare card,FeLicacard ISO/IEC 14443 and ISO 15693 compliant



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Advertising Machine

广告机系列

FH430A1-S

43-inch Advertising Machine

CPU 处理器	RK3288, Quad-core Cortex-A17 up to 1.8GHz	Storage 存储	2GB RAM, 8GB ROM Micro SD*1 (MaxSupport 32G)
OS 系统	Android 7.1/11	Screen 屏幕	43"HD, 1920*1200, IPS Touch (optinal)
Interface 接口	DC-IN (5.5×2.5)*1 Cash box (RJ12)*1 Network (RJ45)*1 USB 2.0*4 Serial port (RJ11)*1 Audio output *1 HDMI*1 Type-C*1	Wi-Fi 无线网	Supports IEEE 802.11 a/b/g/n/ac 2.4G/5G
Bluetooth 蓝牙	BT2.1/3.0/4.2 Supports BLE	Ethernet 以太网	LAN 10M/100M
Speaker 扬声器	Built-in Speaker5W	Power Adapter 电源	Input: AC100V~ 240V, 50~60Hz Output: DC 12V5A
Machine Size 尺寸	420mm*615mm*53mm		
Optional 可选			
Mobile Networks 移动网络	3G&4G		

More Productions



FH070A7-S



FH101A8-S



FH116A2-S



FH116A7-S



FH116A9-D



FH116A10-S

*We offer ODM&OEM
service.*

Application scenarios



Apparel stores



Car parking and gas station



Casual restaurant



Fine dining



Food truck



Grocery store

The content of this product manual is based on the prototype and available information. The content may be changed, subject to the actual product.

本手册产品内容依据样机以及现有信息制作。其内容有可能更改，以实际产品为准。



深圳派德威科技有限公司
Shenzhen Pay Device Technology Co., Ltd.

Your Best Smart Terminal Provider!
We offer ODM&OEM service.
Contact Us!

Website: www.pay-device.com

Alibaba: <https://paydevice.en.alibaba.com/>

Phone: (+86) 18927400446

E-mail: info@pay-device.com

